EHS-106-Rev. 11/05

INSPECTION REPORT FOOD SERVICE ESTABLISHMENTS

STATE OF CONNECTICUT DEPARTMENT OF PUBLIC HEALTH

410 Capitol Avenue, MS#11FDP, Hartford, CT 06134

Ţ	ROUTINE INSPECTION
′□	PREOPERATIONAL

N 🗆 REINSPECTION

OTHER

NAME OF ESTABLISHMENT VC/MUU	ESTABLISHMENTCLASS			
STREET (C/) -+7	TOWN			
ADDRESS OU hom psc	SIYLL	INSPECTION		
OPERATOR.	DATE and TIME //			
Based on an inspection this day, the items mar	rked b	elow identify the violations in operation or facilities w	hich must be corrected by the date specified below.	
SOURCES OF FOOD	VERMIN CONTROL			
1 Approved source, wholesome, nonadulterated	4	21 Preflushed, scraped, soaked and racked	42 Presence of insects/rodents 2	
	_	22 Wash water clean, proper temperature 1	43 Outer openings protected against entrance of insects/rodents	
	1	23 Accurate thermometers provided, dish basket, if used	insects/rodents	
FOOD PROTECTION		24 Sanitization rinse (not water - chemical) 2 25 Clean wiping cloths 1	ELOODE WALLE & CELLINGS	
3 Potentially hazardous food meets 4		26 Food-contact surfaces of utensils & 2	FLOORS, WALLS & CEILINGS 44 Floors: floor covering installed,	
temperature requirements during storage,	`	equipment clean	constructed as required, good repair, clean	
preparation, display, service, and transportation		27 Nonfood-contact surfaces of utensils & 1	45 Floors, graded, drained as required 1	
		equipment clean	46 Floor, wall juncture covered	
temperature, thermometers provided	2	28 Equipment/utensils, storage, handling 1	47 Mats removable, good repair, clean	
	2		48 Exterior walking, driving surfaces, 1	
6 Unwrapped or potentially hazardous food not re-served	4	WATER SUPPLY	good repair, clean	
7 Food protected during storage, preparation,	-	29 Water source adequate, safe 4 30 Hot and cold water under pressure. 2	49 Walls, ceilings attached, equipment properly constructed, good repair, clean. Wall & ceiling	
display, service & transportation		30 Hot and cold water under pressure, 2 provided as required	surfaces as required.	
8 Food containers stored off floor	2		50 Dustiess cleaning methods used, 1	
9 Handling of food minimized 2	2	SEWAGE DISPOSAL 31 Sewage disposal approved 4	cleaning equipment properly stored	
	\exists	32 Proper disposal of waste water 1	LIGHTING & VENTILATION	
11 Toxic items properly stored, labeled, used 4			51 Adequate lighting provided as required 1	
	٦.	PLUMBING	52 Room free of steam, smoke odors	
PERSONNEL		33 Location, Installation, maintenance 1	53 Room & equipment hoods, ducts, vented as required	
12 Personnel with Infection restricted 4 No cross connection, back siphonage, backflow 4				
CLEANLINESS OF PERSONNEL		TOILET FACILITIES	DRESSING ROOMS & LOCKERS 54 Rooms adequate, clean, adequate lockers	
13 Handwashing facilities provided,	1	35 Adequate, convenient, accessible, designed, 4	provided, facilities clean	
personnel hands washed, clean		Installed		
14 Clean outer clothes, effective hair restraints 15 Good hygienic practices, smoking restricted 2	_	Tollet rooms enclosed with self-closing door		
10 Good hygieriic practices, shoking testricted 2		37 Proper fixtures provided, good repair, clean	HOUSEKEEPING 55 Establishment and premises free of litter, not	
EQUIPMENT & UTENSILS: DESIGN,		HANDWASHING FACILITIES	insect/rodent harborage, no unnecessary articles	
CONSTRUCTION & INSTALLATION	\mathbf{A}	38' Suitable hand cleaner and sanitary towels or 1 approved hand drying devices provided,	56 Complete separation from living/sleeping quarters 1 and laundry	
16 Food-contact surfaces designed, constructed, 2 maintained, installed, located	$ \mathcal{V} $	tissue waste receptacles provided		
17 Nonfood-contact surfaces designed, 1	┨╏		57 Clean/soiled linens stored property 1 58 No live birds, turtles, or other animals 1	
constructed, maintained, installed, located		GARBAGE/RUBBISH STORAGE & DISPOSAL	(except guide dogs)	
18 Single service articles, storage, dispensing 2		39 Approved containers, adequate number, covered, rodent proof, clean		
No reuse of single service article Dishwashing facilities approved design, adequately 2	-	40 Storage area/rooms, enclosures -	SMOKING PROHIBITED	
constructed, maintained, installed, located	ĺĺ	properly constructed, clean	59 Smoking prohibited, signs posted at each antrance	
	┙╽	41 Garbage disposed of in an approved manner,		
	_ [at approved frequency	QUALIFIED FOOD OPERATOR	
DEMERIT SCORE] [60 Qualified Food Operator 3	
4, 3 2 1		RISK FACTOR VIOLATIONS IN RED	61 Designated alternate 2 62 Written documentation of training program 2	
2 William documentation of training program 2				
TOTAL RATING Date Corrections Due Signature of Person in charge				
- Duene				
2 91 AM		SIGNED (Inspector)		
DESCRIBE DEFICIENCIES ON CONTINUATION SHEETS				
DISTRIBUTION: 1" - White - Health Department 2 nd - Yellow - Owner/Operator				