EHS-106-Rev. 11/05

INSPECTION REPORT

STATE OF CONNECTICUT

ROUTINE INSPECTION | REINSPECTION

	FOOD SERVICE ESTABLISH	IMENT:	S	DEPARTMENT OF PUBLIC HEAL 410 Capitol Avenue, MS#11FDP, Hartford,		3134	4	☐ PREOPERATIONAL ☐ OTHER	
NAME ESTAI	OF Holloyd HII So	1500 1	/				1	TABLISHMENT ASS }	
STRE	ET 1/5 Meadin	· (int	+ Bud		-	TO	wn faitheld	
OWNE	Ror					_		SPECTION TE and TIME //30/14 /C: C	ŀ
Ва	sed on an inspection this day, the items	marked	below	identify the violations in operation or faci	lities	wh	ich	must be corrected by the date specified be	ow.
so	URCES OF FOOD		EC	QUIPMENT & UTENSILS: CLEANLINE	SS		VE	RMIN CONTROL	
1 Approved source, wholesome, 4			21 Preflushed, scraped, soaked and racked			42 Presence of insects/rodents			
	nonadulterated		22	Wash water clean, proper temperature	1		43	Outer openings protected against entrance of	1
2	Original container, properly labeled	1	23	Accurate thermometers provided, dish basket, if used]	L	insects/rodents	\perp
			24	Sanitization rinse (hot water - chemical)	2		FLOORS, WALLS & CEILINGS		
FO	OD PROTECTION		25	Clean wiping cloths	1				
3	Potentially hazardous food meets temperature requirements during storage,	4	26	Food-contact surfaces of utensils & equipment clean	2		44	Floors: floor covering installed, constructed as required, good repair, clean	
	preparation, display, service, and transportation		27	Nonfood-contact surfaces of utensils &	1	1	45	Floors, graded, drained as required	7
	*****			equipment clean			46	Floor, wall juncture covered	7
4	Adequate facilities to maintain product temperature, thermometers provided	2	28	Equipment/utensils, storage, handling	1] .	47	Mats removable, good repair, clean	
5	Polentially hazardous food properly thawed	2					48	Exterior walking, driving surfaces, good repair, clean	1
6	Unwrapped or potentially hazardous food not re-served	4	W, 29	ATER SUPPLY Water source adequate, safe	4		49	Walls, ceilings attached, equipment properly	1
7	Food protected during storage, preparation, display, service & transportation	2	30	Hot and cold water under pressure, provided as required	2			constructed, good repair, clean. Wall & ceiling surfaces as required.	
8	Food containers stored off floor] [SE	WAGE DISPOSAL	•		50	Dustless cleaning methods used, cleaning equipment properly stored	1
9	Handling of food minimized	2	31	Sewage disposal approved	4	1 ,			
10	Food dispensing utensils properly stored	11	32	Proper disposal of waste water	1		LI	SHTING & VENTILATION	
11	Toxic items properly stored, labeled, used	4			•	1 1	51	Adequate lighting provided as required	T 1
			PL	UMBING			52	Room free of steam, smoke odors	1
PE	RSONNEL		33	Location, installation, maintenance	1	1	53	Room & equipment hoods, ducts, vented as required	1 '
12	Personnel with infection restricted	4	34	No cross connection, back siphonage, backflow	4	1 1		: : : : : : : : : : : : : : : : : : : :	
					-	1 1	DF	RESSING ROOMS & LOCKERS	
CL	EANLINESS OF PERSONNEL		TO	ILET FACILITIES			54	Rooms adequate, clean, adequate lockers	1
13	Handwashing facilities provided, personnel hands washed, clean	4	35	Adequate, convenient, accessible, designed, installed	4			provided, facilities clean	
14	Clean outer clothes, effective hair restraints	1	36	Toilet rooms enclosed with self-closing door	1			;	
15	Good hyglenic practices, smoking restricted	2	37	Proper fixtures provided, good repair, clean			HC	DUSEKEEPING	•
EQUIPMENT & UTENSILS: DESIGN,			HANDWASHING FACILITIES				Establishment and premises free of litter, no insect/rodent harborage, no unnecessary articles	1	
CO 16	NSTRUCTION & INSTALLATION Food-contact surfaces designed, constructed,	2	38	Suitable hand cleaner and sanitary towels or approved hand drying devices provided,	1		56	Complete separation from living/sleeping quarters and laundry	1
	maintained, installed, located			tissue waste receptacles provided			57	Clean/soiled linens stored properly	1
17	Nonfood-contact surfaces designed, constructed, maintained, installed, located	1	GA	RBAGE/RUBBISH STORAGE & DISPOS	AL.		58	No live birds, turtles, or other animals (except guide dogs)	1
18	Single service articles, storage, dispensing	2	39	Approved containers, adequate number,	1			-	<u> </u>
19	No reuse of single service article	1		covered, rodent proof, clean			SM	IOKING PROHIBITED	

DEMERIT SCORE							
4 0 3	2	1 1					
		/					

Dishwashing facilities approved design, adequately constructed, maintained, installed, located

2

40

TOTAL	RATING	Date Corrections Due
	99	WEF !

RISK FACTOR	VIOLATIONS	IN RED
-------------	------------	--------

Garbage disposed of in an approved manner, at approved frequency

Storage arealrooms, enclosures -

properly constructed, clean

Signature of Person in charge

SIGNED (Inspector)

CINCKING I ROMBITED					
59	Smoking prohibited, signs posted at each entrance	3			
QL	ALIFIED FOOD OPERATOR				
60	Qualified Food Operator	3			
61	Designated alternate	2			
62	Written documentation of training program	2			

		1011				,
DESCRIB	E DEI	FICIEN	CIES ON	CONTIN	UATIO	N SHEETS