EHS-106-Rev. 06/01

NAME OF **ESTABLISHMENT** STREET **ADDRESS** OWNER or **OPERATOR**

INSPECTION REPORT

STATE OF CONNECTICUT DEPARTMENT OF PUBLIC HEALTH

ROUTINE INSPECTION ☐ PREOPERATIONAL

☐ REINSPECTION

FOOD SERVICE ESTABLISHMENTS

410 Capitol Avenue, MS#51FDP, Hartford, CT 06134		
oger Ludlow Middle School	ESTABLISHMENT CLASS	
89 Unaumua Rd	TOWN Fairfield	
	INSPECTION DATE and TIME	

Based on an inspection this day, the items marked

1	Approved source, wholesome, nonadulterated	4
2	Original container, properly labeled	1
	OD PROTECTION	1
3	Potentially hazardous food meets temperature requirements during storage, preparation, display, service, and transportation	4
4	Adequate facilities to maintain product temperature, thermometers provided	2
5	Potentially hazardous food properly thawed	2
6	Unwrapped or potentially hazardous food not reserved	4
7	Food protected during storage, preparation, display, service & transportation	2
8	Food containers stored off floor	2
9	Handling of food minimized	2
10	Food dispensing utensils properly stored	1
11	Toxic items properly stored, labeled, used	4
	RSONNEL	
12	Personnel with infection restricted	4
CL	EANLINESS OF PERSONNEL	
13	Handwashing facilities provided,	4
14	Clean outer clethes, effective heir restraints	1
- 20.0	Clean outer clothes, effective hair restraints	12.
15	Good hygienic practices, smoking restricted	2
	UIPMENT & UTENSILS: DESIGN, NSTRUCTION & INSTALLATION	
16	Food-contact surfaces designed, constructed, maintained, installed, located	2
17	Nonfood-contact surfaces designed, constructed, maintained, installed, located	1
18	Single service articles, storage, dispensing	2
10	No reuse of single service article	
19	140 Todase of single activities article	

DEMERIT SCORE		
400	300	200 00
TOTAL	RATING	Date Corrections Due
		Hyman Unc

Accurate themometers provided, dish basket, if used Accurate themometers provided, dish basket, if used Clean wiping cloths Clean wiping cloths Nonfood-contact surfaces of utensils & equipment clean Nonfood-contact surfaces of utensils & equipment clean Equipment/utensils, storage, handling WATER SUPPLY Water source adequate, safe Hot and cold water under pressure, provided as required SEWAGE DISPOSAL Sewage disposal approved Proper disposal of waste water PLUMBING Coation, installation, maintenance No cross connection, back siphonage, backflow TOILET FACILITIES Adequate, convenient, accessible, designed, installed Coation rinse and sad with self clesing door.		UIPMENT & UTENSILS : CLEANLINE	SS
23 Accurate thermometers provided, dish basket, if used 24 Sanitization rinse (hot water - chemical) 25 Clean wiping cloths 26 Food-contact surfaces of utensils & equipment clean 27 Nonfood-contact surfaces of utensils & equipment clean 28 Equipment/utensils, storage, handling 29 Water source adequate, safe 30 Hot and cold water under pressure, provided as required 31 Sewage disposal approved 32 Proper disposal of waste water 33 Location, installation, maintenance 34 No cross connection, back siphonage, backflow 45 Adequate, convenient, accessible, designed, installed 46 Toilet rooms enclosed with self-closing door 47 Proper fixtures provided, good repair, clean 48 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided 49 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures — properly constructed, clean	21	Preflushed, scraped, soaked and racked	
24 Sanitization rinse (hot water - chemical) 25 Clean wiping cloths 26 Food-contact surfaces of utensils & equipment clean 27 Nonfood-contact surfaces of utensils & equipment clean 28 Equipment/utensils, storage, handling 10 WATER SUPPLY 29 Water source adequate, safe 30 Hot and cold water under pressure, provided as required SEWAGE DISPOSAL 31 Sewage disposal approved 32 Proper disposal of waste water 1 PLUMBING 33 Location, installation, maintenance 34 No cross connection, back siphonage, backflow TOILET FACILITIES 35 Adequate, convenient, accessible, designed, installed 36 Toilet rooms enclosed with self-closing door 37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures — properly constructed, clean	22	Wash water clean, proper temperature	1
25 Clean wiping cloths 26 Food-contact surfaces of utensils & equipment clean 27 Nonfood-contact surfaces of utensils & equipment clean 28 Equipment/utensils, storage, handling 28 Equipment/utensils, storage, handling 29 Water source adequate, safe 30 Hot and cold water under pressure, provided as required 31 Sewage disposal approved 32 Proper disposal of waste water 33 Location, installation, maintenance 34 No cross connection, back siphonage, backflow 40 TOILET FACILITIES 41 Toilet rooms enclosed with self-closing door installed 42 Toilet rooms enclosed with self-closing door proper fixtures provided, good repair, clean 43 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided 44 Storage area/rooms, and sources — properly constructed, clean 45 Storage area/rooms, enclosures — properly constructed, clean	23	Accurate thermometers provided, dish basket, if used	1
26 Food-contact surfaces of utensils & equipment clean 27 Nonfood-contact surfaces of utensils & equipment clean 28 Equipment/utensils, storage, handling 10 WATER SUPPLY 29 Water source adequate, safe 30 Hot and cold water under pressure, provided as required SEWAGE DISPOSAL 31 Sewage disposal approved 32 Proper disposal of waste water 1 PLUMBING 33 Location, installation, maintenance 4 No cross connection, back siphonage, backflow TOILET FACILITIES 35 Adequate, convenient, accessible, designed, installed 36 Toilet rooms enclosed with self-closing door 37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures — properly constructed, clean	24	Sanitization rinse (hot water - chemical)	2
equipment clean 27 Nonfood-contact surfaces of utensils & equipment clean 28 Equipment/utensils, storage, handling 1 WATER SUPPLY 29 Water source adequate, safe 30 Hot and cold water under pressure, provided as required SEWAGE DISPOSAL 31 Sewage disposal approved 32 Proper disposal of waste water 1 PLUMBING 33 Location, installation, maintenance 34 No cross connection, back siphonage, backflow 4 TOILET FACILITIES 35 Adequate, convenient, accessible, designed, installed 36 Toilet rooms enclosed with self-closing door 37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures — properly constructed, clean	25	Clean wiping cloths	1
equipment clean 28 Equipment/utensils, storage, handling 1 WATER SUPPLY 29 Water source adequate, safe 30 Hot and cold water under pressure, provided as required SEWAGE DISPOSAL 31 Sewage disposal approved 32 Proper disposal of waste water 1 PLUMBING 33 Location, installation, maintenance 34 No cross connection, back siphonage, backflow TOILET FACILITIES 35 Adequate, convenient, accessible, designed, installed 36 Toilet rooms enclosed with self-closing door 37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures — properly constructed, clean	26		2
WATER SUPPLY 29 Water source adequate, safe 30 Hot and cold water under pressure, provided as required SEWAGE DISPOSAL 31 Sewage disposal approved 32 Proper disposal of waste water 14 PLUMBING 33 Location, installation, maintenance 34 No cross connection, back siphonage, backflow TOILET FACILITIES 35 Adequate, convenient, accessible, designed, installed 36 Toilet rooms enclosed with self-closing door 37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean	27		1
29 Water source adequate, safe 30 Hot and cold water under pressure, provided as required SEWAGE DISPOSAL 31 Sewage disposal approved 32 Proper disposal of waste water 14 PLUMBING 33 Location, installation, maintenance 34 No cross connection, back siphonage, backflow TOILET FACILITIES 35 Adequate, convenient, accessible, designed, installed 36 Toilet rooms enclosed with self-closing door 37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean	28	Equipment/utensils, storage, handling	1
30 Hot and cold water under pressure, provided as required SEWAGE DISPOSAL 31 Sewage disposal approved 32 Proper disposal of waste water 1 PLUMBING 33 Location, installation, maintenance 34 No cross connection, back siphonage, backflow TOILET FACILITIES 35 Adequate, convenient, accessible, designed, installed 36 Toilet rooms enclosed with self-closing door 37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean			
SEWAGE DISPOSAL 31 Sewage disposal approved 4 4 32 Proper disposal of waste water 1		9 /2	4
31 Sewage disposal approved 32 Proper disposal of waste water PLUMBING 33 Location, installation, maintenance 34 No cross connection, back siphonage, backflow 4 TOILET FACILITIES 35 Adequate, convenient, accessible, designed, installed 36 Toilet rooms enclosed with self-closing door 37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean	30		2
PLUMBING 33 Location, installation, maintenance 34 No cross connection, back siphonage, backflow TOILET FACILITIES 35 Adequate, convenient, accessible, designed, installed 36 Toilet rooms enclosed with self-closing door 77 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean	SE	WAGE DISPOSAL	
PLUMBING 33 Location, installation, maintenance 1 34 No cross connection, back siphonage, backflow 4 TOILET FACILITIES 35 Adequate, convenient, accessible, designed, installed 36 Toilet rooms enclosed with self-closing door 37 Proper fixtures provided, good repair, clean 4 HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 1 40 Storage area/rooms, enclosures – properly constructed, clean	31	Sewage disposal approved	4
33 Location, installation, maintenance 34 No cross connection, back siphonage, backflow 4 TOILET FACILITIES 35 Adequate, convenient, accessible, designed, installed 36 Toilet rooms enclosed with self-closing door 37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean	32	Proper disposal of waste water	1
TOILET FACILITIES 35 Adequate, convenient, accessible, designed, installed 36 Toilet rooms enclosed with self-closing door 37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean	PL		
TOILET FACILITIES 35 Adequate, convenient, accessible, designed, installed 36 Toilet rooms enclosed with self-closing door 37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean	33	Location, installation, maintenance	
35 Adequate, convenient, accessible, designed, installed 36 Toilet rooms enclosed with self-closing door 37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean			1
installed 36 Toilet rooms enclosed with self-closing door 37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean	34		4
37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean		No cross connection, back siphonage, backflow	
37 Proper fixtures provided, good repair, clean HANDWASHING FACILITIES 38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean	TO 35	No cross connection, back siphonage, backflow ILET FACILITIES Adequate, convenient, accessible, designed, installed	
38 Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean	TO 35	No cross connection, back siphonage, backflow ILET FACILITIES Adequate, convenient, accessible, designed, installed Toilet rooms enclosed with self-closing door	4
approved hand drying devices provided, tissue waste receptacles provided GARBAGE/RUBBISH STORAGE & DISPOSAL 39 Approved containers, adequate number, covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean	TO 35	No cross connection, back siphonage, backflow ILET FACILITIES Adequate, convenient, accessible, designed, installed Toilet rooms enclosed with self-closing door	4
Approved containers, adequate number, covered, rodent proof, clean Storage area/rooms, enclosures – properly constructed, clean	TO 35 36 37	No cross connection, back siphonage, backflow ILET FACILITIES Adequate, convenient, accessible, designed, installed Toilet rooms enclosed with self-closing door Proper fixtures provided, good repair, clean NDWASHING FACILITIES	4
covered, rodent proof, clean 40 Storage area/rooms, enclosures – properly constructed, clean	TO 35 36 37	No cross connection, back siphonage, backflow ILET FACILITIES Adequate, convenient, accessible, designed, installed Toilet rooms enclosed with self-closing door Proper fixtures provided, good repair, clean NDWASHING FACILITIES Suitable hand cleaner and sanitary towels or approved hand drying devices provided,	4
properly constructed, clean	TO 35 36 37 HA 38	No cross connection, back siphonage, backflow ILET FACILITIES Adequate, convenient, accessible, designed, installed Toilet rooms enclosed with self-closing door Proper fixtures provided, good repair, clean INDWASHING FACILITIES Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided RBAGE/RUBBISH STORAGE & DISPOS	4
	TO 35 36 37 HA 38	No cross connection, back siphonage, backflow ILET FACILITIES Adequate, convenient, accessible, designed, installed Toilet rooms enclosed with self-closing door Proper fixtures provided, good repair, clean INDWASHING FACILITIES Suitable hand cleaner and sanitary towels or approved hand drying devices provided, tissue waste receptacles provided RBAGE/RUBBISH STORAGE & DISPOS/Approved containers, adequate number,	4

RISK FACTOR VIOLATIONS IN RED

	CONTROL OF THE PROPERTY OF THE	
-	RMIN CONTROL	_
42	Presence of insects/rodents	
43	Outer openings protected against entrance of insects/rodents	
FL	OORS, WALLS & CEILINGS	
44	Floors: floor covering installed, constructed as required, good repair, clean	
45	Floors, graded, drained as required	0
46	Floor, wall juncture covered	1
47	Mats removable, good repair, clean	
48	Exterior walking, driving surfaces, good repair, clean	1
49	Walls, ceilings attached, equipment properly constructed, good repair, clean. Wall & ceiling surfaces as required.	
50	Dustless cleaning methods used, cleaning equipment properly stored	
LIC 51	GHTING & VENTILATION Adequate lighting provided as required	Γ
52	Room free of steam, smoke odors	╀
JZ		
53	Room & equipment hoods, ducts, vented as required	
	Room & equipment hoods, ducts, vented as required ESSING ROOMS & LOCKERS Rooms adequate, clean, adequate lockers	
DF	Room & equipment hoods, ducts, vented as required	
DF 54	Room & equipment hoods, ducts, vented as required ESSING ROOMS & LOCKERS Rooms adequate, clean, adequate lockers	
54 HC	Room & equipment hoods, ducts, vented as required RESSING ROOMS & LOCKERS Rooms adequate, clean, adequate lockers provided, facilities clean ROUSEKEEPING Establishment and premises free of litter, no insect/rodent harborage, no unnecessary articles	
DR 54 HC 55	Room & equipment hoods, ducts, vented as required RESSING ROOMS & LOCKERS Rooms adequate, clean, adequate lockers provided, facilities clean PUSEKEEPING Establishment and premises free of litter, no	2
54 HC 55 56	Room & equipment hoods, ducts, vented as required RESSING ROOMS & LOCKERS Rooms adequate, clean, adequate lockers provided, facilities clean PUSEKEEPING Establishment and premises free of litter, no insect/rodent harborage, no unnecessary articles Complete separation from living/sleeping quarters and laundry Clean/soiled linens stored properly	
DR 54 HC 55	Room & equipment hoods, ducts, vented as required RESSING ROOMS & LOCKERS Rooms adequate, clean, adequate lockers provided, facilities clean ROUSEKEEPING Establishment and premises free of litter, no insect/rodent harborage, no unnecessary articles Complete separation from living/sleeping quarters and laundry	
DR 54 HC 55 56 57 58	Room & equipment hoods, ducts, vented as required RESSING ROOMS & LOCKERS Rooms adequate, clean, adequate lockers provided, facilities clean PUSEKEEPING Establishment and premises free of litter, no insect/rodent harborage, no unnecessary articles Complete separation from living/sleeping quarters and laundry Clean/soiled linens stored properly No live birds, turtles, or other animals	
DR 54 HC 55 56 57 58	Room & equipment hoods, ducts, vented as required RESSING ROOMS & LOCKERS Rooms adequate, clean, adequate lockers provided, facilities clean ROUSEKEEPING Establishment and premises free of litter, no insect/rodent harborage, no unnecessary articles Complete separation from living/sleeping quarters and laundry Clean/soiled linens stored properly No live birds, turtles, or other animals (except guide dogs)	
DR 54 HC 55 56 57 58	Room & equipment hoods, ducts, vented as required RESSING ROOMS & LOCKERS Rooms adequate, clean, adequate lockers provided, facilities clean ROUSEKEEPING Establishment and premises free of litter, no insect/rodent harborage, no unnecessary articles Complete separation from living/sleeping quarters and laundry Clean/soiled linens stored properly No live birds, turtles, or other animals (except guide dogs)	
55 55 56 57 58 NC 59	Room & equipment hoods, ducts, vented as required RESSING ROOMS & LOCKERS Rooms adequate, clean, adequate lockers provided, facilities clean ROUSEKEEPING Establishment and premises free of litter, no insect/rodent harborage, no unnecessary articles Complete separation from living/sleeping quarters and laundry Clean/soiled linens stored properly No live birds, turtles, or other animals (except guide dogs) NSMOKING AREAS Seats 75 or more: Nonsmoking area provided, sign(s) posted at entrance(s), smoking area	
55 56 57 58 NC 59	Room & equipment hoods, ducts, vented as required RESSING ROOMS & LOCKERS Rooms adequate, clean, adequate lockers provided, facilities clean ROUSEKEEPING Establishment and premises free of litter, no insect/rodent harborage, no unnecessary articles Complete separation from living/sleeping quarters and laundry Clean/soiled linens stored properly No live birds, turtles, or other animals (except guide dogs) ROSMOKING AREAS Seats 75 or more: Nonsmoking area provided, sign(s) posted at entrance(s), smoking area indicated by sign(s)	
55 56 57 58 NC	Room & equipment hoods, ducts, vented as required RESSING ROOMS & LOCKERS Rooms adequate, clean, adequate lockers provided, facilities clean ROUSEKEEPING Establishment and premises free of litter, no insect/rodent harborage, no unnecessary articles Complete separation from living/sleeping quarters and laundry Clean/soiled linens stored properly No live birds, turtles, or other animals (except guide dogs) ROSMOKING AREAS Seats 75 or more: Nonsmoking area provided, sign(s) posted at entrance(s), smoking area indicated by sign(s)	

Signature of Person in charge	
Jusoma Marrie	
SIGNED (Inspector)	P